

OMB-DBK16

2-Channel Strain-Gage Expansion Card

for use with OMB-DAQBOARD-2000 Series
or OMB-LOGBOOK

Model OMB-DBK16

\$649



The OMB-DBK16, \$649, strain-gage expansion card, shown smaller than actual size

- Provides 2 Channels of Strain-Gage Inputs
- Accommodates Most Bridge Type Sensors, Including 4-Element Full Bridges

A two-channel strain-gage expansion card for OMEGA's OMB-LOGBOOK and OMB-DAQBOARD-2000 Series data acquisition systems. The OMB-DBK16 is a general-purpose card that accommodates the connection of most strain-gage types, from single-element quarter-bridges to 4-element full bridges. The OMB-DBK16 also includes provisions for bridge completion resistors and provides four adjustments on each of its two channels. You can adjust excitation voltage, input gain, offset nulling and output scaling. Up to 128 OMB-DBK16 boards can be connected to one OMB-LOGBOOK or OMB-DAQBOARD-2000 Series. For applications of 5 or more channels, use the 8-channel OMB-DBK43A strain-gage module.

Excitation Regulator

The OMB-DBK16 accepts user-supplied excitation input voltage from 12 to 16 V on each channel. Its on-board excitation regulator can be adjusted from 1.5 to 10.5 Vdc.

Excitation Sources

The 12 to 16 Vdc external excitation source required by the OMB-DBK16 can be supplied by the OMB-DBK30A rechargeable battery/excitation module or by a user-supplied source.

Coupling & Filtering

Each channel of the OMB-DBK16 offers switch-selectable AC or DC coupling between the input amplifier circuits and the filter stages. A selectable three-pole low-pass filter with a customizable cutoff frequency is also provided.

Specifications

Connector: DB37 male, mates with P1 pinout on the OMB-LOGBOOK and OMB-DAQBOARD-2000 Series; screw-terminals provided for strain-gage and external excitation connections

Number of Channels: 2

Excitation Voltage Adjustment

Range: 1.50 to 10.50 Vdc @ 50 mA

Gain Range: x100 to x1250

Accommodated Bridge Types:

- Full Bridge, Kelvin Excitation (6-wire)
- Full Bridge (4-wire)
- Half Bridge (3-wire)
- Quarter Bridge (2-wire)

Bridge Resistors: On-board locations are provided for four bridge-completion resistors per channel

Input Type: Differential

Input Impedance: 100 M Ω parallel with 100 pF

CMRR: 115 dB (DC to 60 Hz)

Excitation Voltage Source:

User-supplied 13 to 16 Vdc @ 50 mA/channel

Excitation Current Output: 50 mA max

Excitation Sensing: Local or remote

Reference Voltages: 2.5 Vdc

Gain Accuracy: 0.5%

Gain Drift: 50 ppm/ $^{\circ}$ C

Input Offset: 100 μ V max

Offset Adjustment: 0 to 100% of range, 0 to 5.00 Vdc (15-turn trimpot)

AVAILABLE FOR FAST DELIVERY!

To Order (Specify Model Number)		
Model Number	Price	Description
OMB-DBK16	\$649	2-Channel Strain-Gage Expansion Card

Ordering Example: OMB-DBK16 2-channel strain-gage expansion card, \$649.

omega.co.uk[®]

Your One-Stop Source for Process Measurement and Control!

Freephone 0800 488 488 | International +44(0) 161 777 6622 | Fax +44(0) 161 777 6622 | Sales@omega.co.uk

www.omega.co.uk



UNITED STATES

www.omega.com

1-800-TC-OMEGA
Stamford, CT.

UNITED KINGDOM

www.omega.co.uk

Manchester, England
0800-488-488
+44-(0)161-777-6611

CANADA

www.omega.ca

Laval(Quebec)
1-800-TC-OMEGA

FRANCE

www.omega.fr

0800-466-342

GERMANY

www.omega.de

Deckenfronn, Germany
0800-8266342

BENELUX

www.omega.nl

0800-099-33-44



More than 100,000 Products Available!

• Temperature

Calibrators, Connectors, General Test and Measurement Instruments, Handheld Instruments for Temperature Measurement, Ice Point References, Indicating Labels, Crayons, Cements and Lacquers, Infrared Temperature Measurement Instruments, Recorders, Relative Humidity Measurement Instruments, PT100 Probes, PT100 Elements, Temperature & Process Meters, Timers and Counters, Temperature and Process Controllers and Power Switching Devices, Thermistor Elements, Probes and Assemblies, Thermocouples, Thermowells and Head and Well Assemblies, Transmitters, Thermocouple Wire, RTD Probes

• Flow and Level

Air Velocity Indicators, Doppler Flowmeters, Level Measurement, Magnetic Flowmeters, Mass Flowmeters, Pitot Tubes, Pumps, Rotameters, Turbine and Paddle Wheel Flowmeters, Ultrasonic Flowmeters, Valves, Variable Area Flowmeters, Vortex Shedding Flowmeters

• pH and Conductivity

Conductivity Instrumentation, Dissolved Oxygen Instrumentation, Environmental Instrumentation, pH Electrodes and Instruments, Water and Soil Analysis Instrumentation

• Data Acquisition

Communication Products and Converters, Data Acquisition and Analysis Software, Data Loggers Plug-in Cards, Signal Conditioners, USB, RS232, RS485, Ethernet and Parallel Port Data Acquisition Systems, Wireless Transmitters and Receivers

• Pressure, Strain and Force

Displacement Transducers, Dynamic Measurement Force Sensors, Instrumentation for Pressure and Strain Measurements, Load Cells, Pressure Gauges, Pressure Reference Section, Pressure Switches, Pressure Transducers, Proximity Transducers, Regulators, Pressure Transmitters, Strain Gauges, Torque Transducers, Valves

• Heaters

Band Heaters, Cartridge Heaters, Circulation Heaters, Comfort Heaters, Controllers, Meters and Switching Devices, Flexible Heaters, General Test and Measurement Instruments, Heater Hook-up Wire, Heating Cable Systems, Immersion Heaters, Process Air and Duct, Heaters, Radiant Heaters, Strip Heaters, Tubular Heaters